



Tianjin Jiayi Haotian Industrial Co., Ltd

jiayi-packaging.com



Tinplate Can Lid Easy to Open Round Lid With Pull Ring Tin Easy to Open and Easy to Open Can Lid

Our Product Introduction

for more products please visit us on jiayi-packaging.com

Basic Information

- Brand Name: Jiayi
- Certification: ISO9001:2015
- Model Number: FD001
- Minimum Order Quantity: Can Be Customized
- Price: Depending On The Number
- Packaging Details: Paper Bag/carton/stretch Film/wooden Pallet



Product Specification

- Ring Thickness: 0.45 Mm
- Safety: With Saferim Edge
- Shape: Round
- Packing: Carton Or Pallet
- Pressure: 0.15Mpa
- Open Instruction: Without
- Application: Food Can
- Usage: Canned Food Packaging



Product Description



Product Description:

Custom Order	Accept	Type	Accessories
Material	Metal	Use	CANS
Feature	Non Spill	Place of Origin	Tianjin,China
Brand Name	Jiayi	Model Number	Top caps and bottom
Product name	Tin can accessories	Color	Standard/Custom
Size	Standard/Custom	Application	Tin cans
Usage	Pull-Ring,Squeeze	Packing	Carton
Certification	ISO9001. SGS	Sample	Provided Freely
Function	Avoid Leakage	Logo	Custom Logo

Features:

Product Name: Easy Open End

Logo Printing: Customizable

Safety: With Saferim Edge

Color: Silver

Open Instruction: Without

Pressure: 0.15Mpa

Applications:

Easy Open End is a convenient and user-friendly packaging solution that is widely used in various product applications. Manufactured with high-quality tinplate, the Jiayi FD001 Easy Open End is designed to provide easy access to the contents of a food can. With its full open feature, this product is ideal for sealing food cans and ensuring the freshness of the packaged goods.

The Jiayi Easy Open End is suitable for a range of occasions and scenarios, making it a versatile choice for different industries. Its

ISO9001:2015 certification ensures that it meets international standards for quality and safety. Customers can customize their order quantity based on their specific needs, and the price will vary depending on the number of units required. When it comes to packaging, the Easy Open End can be packaged in various ways, including paper bags, cartons, stretch film, or wooden pallets. This flexibility allows for efficient transportation and storage of the product, ensuring that it reaches customers in optimal condition.

Customers have the option to customize the Jiayi Easy Open End with their logo, either through printing or embossing. The sleek silver color of the product adds a touch of elegance to the food can, making it visually appealing on the shelves.

With a pressure resistance of 0.15Mpa, the Jiayi Easy Open End is a reliable choice for sealing food cans securely. Whether used in commercial food packaging or personal food storage, this product offers a practical solution for keeping food fresh and protected. Overall, the Jiayi FD001 Easy Open End is a versatile and high-quality product that caters to a wide range of product application occasions and scenarios. Its durable tinplate construction, easy open feature, and customizable options make it an ideal choice for sealing food cans with convenience and style.

FAQ:

Q: What is the brand name of the Easy Open End product?

A: The brand name of the Easy Open End product is Jiayi.

Q: What is the model number of the Easy Open End product?

A: The model number of the Easy Open End product is FD001.

Q: Does the Easy Open End product have any certification?

A: Yes, the Easy Open End product is certified under ISO9001:2015.

Q: What is the minimum order quantity for the Easy Open End product?

A: The minimum order quantity for the Easy Open End product can be customized to your specific needs.

Q: How is the Easy Open End product packaged?

A: The Easy Open End product is packaged in paper bags, cartons, stretch film, and wooden pallets, depending on your preference.



Tianjin Jiayi Haotian Industrial Co., Ltd



+86 15522765700



caivee@jiayi-packaging.com



jiayi-packaging.com

Dongxing Road, Beihuan Industrial Park, Jinghai Town, Jinghai District, Tianjin, China